G130









"EUROMODEL" KNURLED KNOB WITH CAP

Volantini con altre forme

Materials:

Reinforced polyamide. Resistant to oils and greases.

Surface finish:

Satin.

Handwheel colour:

Black (RAL 9011).

Central cap:

Central cap in grey polyamide (RAL 7035 code 13) with black polyamide support ring for versions 57 and 94. Cap only without ring for version 72. Push-fit assembly. Removable.

Alternative cap colours:

Orange (RAL 2004 code 02).

Blue (RAL 5015 code 07).

Yellow (RAL 1021 code 10).

Red (RAL 3000 code 16).

Green (RAL 6024 code 17).

Black (RAL 9011 code 01).

Inserts:

Version TD:

Galvanised steel insert with smooth through bore (tolerance H10).

Version TM

Galvanised steel insert with threaded through hole (tolerance hole 6H).

Fixing hole d2:

Version TD:

Fixing threaded hole.

Version TM:

None.

Special requests:

Upon request and for special quantities inserts can be supplied with custom hole diameter d1.

Upon request and for special quantities inserts can be supplied in different materials.


Upon request and for special quantities available in the colours indicated in the chart.














Version TD: with smooth through hole.

Code	art.	D	d	Н	m	h	d2	d3	dm	d1 H10	Q	Weight (g)
G130057.0001	G130057.TD080113	57	24	46	17	6	M5	52	12	8	16	105
G130072.0001	G130072.TD080113	72	28	53	21	6	M5	67	12	8	20	165
G130094.0002	G130094.TD100113	94	36	58	24	6	M5	87	15	10	24	376

Attention: for a minimum of 50 pieces the diameter d1 can be produced with the requested dimensions (H10 tolerance) Dm = Maximum obtainable diameter for subsequent machining (widening). #s##s##s##s#

Version TM with threaded through hole

Code	art.	D	d	Н	m	h	d2	d3	dm	d16H	Q	Weight (g)
G130057.0002	G130057.TM080113	57	24	46	17	-	-	52	12	M8	16	105
G130072.0002	G130072.TM100113	72	28	53	21	-	-	67	12	M10	20	165
G130094.0003	G130094.TM120113	94	36	58	24	-	-	87	15	M12	24	376

Attention: for a minimum of 50 pieces the diameter d1 can be produced with the requested dimensions.

