

THREADED STEEL SPRING PLUNGER WITH HEXAGON SOCKET END

Pressore a molla filettato con sfera

Materials:

W835:

Steel plunger body with property class 5.8.

W835CIN:

Stainless steel plunger body (Aisi 303).

Surface finish:

Smooth.

Colour:

W835:

Black-oxide treated.

W835CIN:

Natural.

Ball:

Hardened stainless steel ball (bearing type) (Aisi 420).

Spring:

W835:

Harmonic steel spring.

W835CIN:

Stainless steel spring (Aisi 301).


Type of spring thrust:

Stronger.

Special requests:

None.





Version W835: black-oxide treated steel

Code	art.	s	H	h1	e	N1 (N)	N2 (N)	d1 6H	Weight (g)
W835.0011	W835.VBM03	1.5	9	0.5	1.5	5	7	M3	0.2
W835.0012	W835.VBM04	2.5	10	0.8	2	12	22	M4	0.4
W835.0013	W835.VBM05	3	14	0.9	3	19	30	M5	1.2
W835.0014	W835.VBM06	3.5	15	1	3	28	40	M6	2
W835.0015	W835.VBM08	5	16	1.5	4	47	73	M8	4
W835.0018	W835.VBM10	6	23	2	5	66	100	M10	8
W835.0019	W835.VBM12	8	26	2.5	6	66	120	M12	12
W835.0020	W835.VBM16	10	33	3.5	8	90	180	M16	31
W835.0021	W835.VBM20	12	43	4.5	10	115	240	M20	64
W835.0022	W835.VBM24	15	48	5.5	12	130	270	M24	100

Version W835CIN - stainless steel (Aisi 303)

Code	art.	s	H	h1	e	N1 (N)	N2 (N)	d1 6H	Weight (g)
W835.0001	W835.INM03CIN	1.5	9	0.5	1.5	5	7	M3	0.2
W835.0002	W835.INM04CIN	2.5	10	0.8	2	12	22	M4	0.4
W835.0003	W835.INM05CIN	3	14	0.9	3	19	30	M5	1.2
W835.0004	W835.INM06CIN	3.5	15	1	3	28	40	M6	2
W835.0005	W835.INM08CIN	5	16	1.5	4	47	73	M8	4
W835.0006	W835.INM10CIN	6	23	2	5	66	100	M10	8
W835.0007	W835.INM12CIN	8	26	2.5	6	66	120	M12	12

Code	art.	s	H	h1	e	N1 (N)	N2 (N)	d1 6H	Weight (g)
W835.0008	W835.INM16CIN	10	33	3.5	8	90	180	M16	31
W835.0009	W835.INM20CIN	12	43	4.5	10	115	240	M20	64
W835.0010	W835.INM24CIN	15	48	5.5	12	130	270	M24	100